

MDH 200

DIFFERENTIAL HIGH PRESSURE INDICATOR



200 bar
operating pressure

1,5 to 80 °C
operating temperature range




DESCRIPTION

Magnetic differential manometer MDH 200 is designed to indicate pressure drop across the filter element in compressed air system.

It detects when the filter cartridge is clogged and should be replaced. MDH 200 is usually installed on the head of the filter housing.

Double dials on manometer allows readout values from both sides of the differential manometer.



TECHNICAL DATA		
Ambient temperature range	1,5 - 80 °C	35 - 175°F
Measuring range	0 - 1 bar	0 - 14,5 psi
Static pressure	200 bar	2900 psi
Protection class	IP 64	
Accuracy	±5 % of full scale	
Connection	2 x G 1/8" male	
Model	Description	
MDH 200	basic version	
MDH 200C	voltage-free contact version for remote alarm	

APPLICATIONS

- Automotive
- Electronics
- Food and beverage
- Chemical
- Petrochemical
- Plastics
- Paint
- General industrial application

omega air

Air and Gas Treatment



OMEGA AIR d.o.o. Ljubljana

T +386 (0)1 200 68 00
F +386 (0)1 200 68 50

info@omega-air.si
Cesta Dolomitskega odreda 10
SI-1000 Ljubljana, Slovenia
www.omega-air.si

Distribuidor Autorizado:



megafilter
Filtros e sistemas de filtragem

Rua Silvio Pinto Ribeiro, 1625
Quississana, São José dos Pinhais - PR
CEP: 83085-400

Fone: +55 41 3081 3050
vendas@megafilter.com.br

